

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**






FIG. 1A

FIG. 1B







**FIG. 2**




FIG. 3




FIG. 4




FIG. 5



Top view of a circular device. The central region is labeled 130. Surrounding it is a ring labeled 132. The outermost ring is labeled 60. The device has four mounting tabs, each labeled 62. Internal components are labeled with numbers 10, 11, 13, 66, 82, 110, 114, 172, and 182. The device is shown in a perspective view, with dashed lines indicating internal features.

FIG. 6

106280-92808260




FIG. 7





FIG. 8






FIG. 10A




FIG. 11




FIG. 12

FIG. 13




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19